INDEX TO VOLUME 44

The following is an annual index, by title and first author, of the *Archives of Environmental Health*, Volume 44.

A

Acute airway narrowing in monkeys from challenge with 2.5 ppm formaldehyde generated from formalin. Biagini R, Moorman W, Knecht E, Clark J, Bernstein IL. 44(1): 12–17.

Acute arsenic intoxication from environmental arsenic exposure. Franzblau A, Lilis R. 44(6): 385–90.

Acute lead poisoning in construction workers: the failure of current prospective standards. Marino P, Franzblau A, Lilis R, Landrigan P. 44(3): 140–45.

Acute pulmonary edema in a storehouse of moldy oranges: a severe case of the organic dust toxic syndrome. Yoshida K, Ando M, Araki S. 44(6): 382–84.

Adams WC, Schelegle ES, Shaffrath JD. Oral and oronasal breathing during continuous exercise produce similar responses to ozone inhalation. 44(5): 311–17.

Air lead exposure and blood lead levels within a large automobile manufacturing workforce, 1980–1985. Kononen D, Kintner H, Bivol K. 44(4): 244–51.

Alavanja M, Blair A, Merkle S, Teske J, Eaton B, Reed B. Mortality among forest and soil conservationists. 44(2): 94–101.

Alexandersson R, Hedenstierna G. Pulmonary function in wood workers exposed to formaldehyde: a prospective study. 44(1): 5–11.

Allen H, H.-Henderson MA, Haas C. Chemical composition of bottled mineral water. 44(2): 102–16.

Amandus H, Petersen M, Richard T. Health status of anthracite surface coal miners. 44(2): 75–81.

Aschengrau A, Zierler S, Cohen A. Quality of community drinking water and the occurrence of spontaneous abortion. 44(5): 283–90.

B

Becker N. Cumulative damage models in cancer epidemiology: application to human incidence and mortality data. 44(4): 260–66.

Becker N. Cumulative damage models of additional exposures and host factors. 44(5): 331–36.

Biagini R, Moorman W, Knecht E, Clark J, Bernstein IL. Acute airway narrowing in monkeys from challenge with 2.5 ppm formaldehyde generated from formalin. 44(1): 12–17.

Biochemical and biological markers: implications for epidemiologic studies. Griffith J, Duncan R, Hulka BS. 44(6): 375–81.

Biological monitoring of dichloropropene: air concentrations, urinary metabolite, and renal enzyme excretion. Osterloh J, Wang R, Schneider F, Maddy K. 44(4): 207–13.

Blair A, Haas T, Prosser R, Morrissette M, Blackman K, Grauman D, Van Dusen P, Moran F. Mortality among United States Coast Guard marine inspectors. 44(3): 150–56.

Body burdens of lead in hypertensive nephropathy. Osterloh JD, Selby JV, Bernard BP, Becker CE, Menke DJ, Tepper E, Ordonez JD, Behrens B. 44(5): 304–10.

Brown S, Ames R, Mengle D. Occupational illnesses from cholinesterase-inhibiting pesticides among agricultural applicators in California, 1982–1985. 44(1): 34–39.

C

Cancer mortality in U.S. counties with hazardous waste sites and ground water pollution. Griffith J, Duncan R, Riggan W, Pellom A. 44(2): 69–74.

Castleman B, Ziem G. Toxic pollutants, science, and corporate influence (editorial). 44(2): 68, 127.

Central nervous system malformations in relation to two polyvinyl chloride production facilities. Rosenman KD, Rizzo JE, Conomos MG, Halpin GJ. 44(5): 279–82.

Chan-Yeung M, Enarson D, MacLean L, Irving D. Longitudinal study of workers in an aluminum smelter. 44(3): 134–39.

Chemical composition of bottled mineral water. Allen H, H.-Henderson MA, Hass C. 44(2): 102–16.

Chlorinated drinking water and bladder cancer: effect of misclassification on risk estimates. Lynch C, Woolson R, O'Gorman T, Canton K. 44(4): 252–59.

Chromosome abnormalities and sister chromatid exchanges in children with acute intoxication due to inhalation of volatile substances. Salamanca-Gomez F, Hernandez S, Palma V, Navarrete C, Garcia T, Moreta G, Buentello L. 44(1): 49–53.

Cumulative damage models in cancer epidemiology: application to human incidence and mortality data. Becker N. 44(4): 260–66.

Cumulative damage models of additional exposures and host factors. Becker N. 44(5): 331–36.

D

Decreasing blood lead in Swedish children, 1978–1988. Schütz A, Attewell R, Skerfving S. 44(6): 391–94.

Dietary intake of lead among Japanese farmers. Ikeda M, Watanabe T, Koizumi A, Fujita H, Nakatsuka H, Kasahara M. 44(1): 23–29.

Dioxins in cigarette smoke. Muto H, Takizawa Y. 44(3): 171–74.

Domingo JL, Ortega A, Paternain JL, Corbella J. Evaluation of the perinatal and postnatal effects of uranium in mice upon oral administration. 44(6): 395–98.

Duration of enhanced responsiveness upon re-exposure to ozone. Schonfeld B, Adams W, Schelegle E. 44(4): 229–36.

E

Effects of low-level carbon monoxide exposure on resting and exercise-induced ventricular arrhythmias in patients with coronary artery disease and no baseline ectopy. Hinderliter A, Adams K, Price C, Herbst M, Koch G, Sheps D. 44(2): 89–93.

Effects of short-term exposure to carbon monoxide in subjects with coronary artery disease. Kleinman MT, Davidson DM, Vandagriff RB, Caiozzo VJ, Whittenberger JL. 44(6): 361–69.

Elevated blood pressure in treated hypertensives with low-level lead accumulation. Sharp D, Osterloh J, Becker C, Smith A, Holman B, Fisher J. 44(1): 18–22.

English P, Shaw G, Windham G, Neutra R. Illness and absenteeism among California highway patrol officers responding to hazardous material spills. 44(2): 117–19.

Epidemiologic and toxicologic evidence for chronic health effects and the underlying biologic mechanisms involved in sub-lethal exposures to acidic pollutants. Soskolne C, Pagano G, Cipollaro M, Beaumont J, Giordano G. 44(3): 180–191.

Evaluation of the perinatal and postnatal effects of uranium in mice upon oral administration. Domingo JL, Ortega A, Paternain JL, Corbella J. 44(6): 399–401.

F

Factors influencing the reading of small irregular opacities in a radiological survey of asbestos miners in South Africa. Sluis-Cremer G, Hessel P, Hnizdo E. 44(4): 237–43.

Fiore BJ, Anderson H, Hanrahan L, Olson OL, Sonzogni W. Sport fish consumption and body burden levels of chlorinated hydrocarbons: a study of Wisconsin anglers. 44(2): 82–88.

Fitzgerald E, Weinstein A, Youngblood L, Standfast S, Melius J. Health effects three years after potential exposure to the toxic contaminants of an electrical transformer fire. 44(4): 214–21.

Franzblau A, Lilis R. Acute arsenic intoxication from environmental arsenic exposure. 44(6): 385–90.

G

Griffith J, Duncan R, Hulka BS. Biochemical and biological markers: implications for epidemiologic studies. 44(6): 375–381

Griffith J, Duncan R, Riggan W, Pellom A. Cancer mortality in U.S. counties with hazardous waste sites and ground water pollution. 44(2): 69–74.

H

Half-life of polychlorinated biphenyls in occupationally exposed workers. Phillips DL, Smith AB, Burse VW, Steele GK, Needham LL, Hannon WH. 44(6): 351–54.

Health effects three years after potential exposure to the toxic contaminants of an electrical transformer fire. Fitzgerald E, Weinstein A, Youngblood L, Standfast S, Melius J. 44(4): 214–21.

Health status of anthracite surface coal miners. Amandus H, Petersen M, Richard T. 44(2): 75–81.

Health status of copper refinery workers with specific reference to selenium exposure. Holness DL, Taraschuk IG, Nethercott JR. 44(5): 291–97.

Health status of funeral service workers exposed to formaldehyde. Holness DL, Nethercott J. 44(4): 222–28.

Hinderliter A, Adams K, Price C, Herbst M, Koch G, Sheps D. Effects of low-level carbon monoxide exposure on resting and exercise-induced ventricular arrhythmias in patients with coronary artery disease and no baseline ectopy. 44(2): 89–93.

Holness DL, Nethercott J. Health status of funeral service workers exposed to formaldehyde. 44(4): 222–28.

Holness DL, Taraschuk IG, Nethercott JR. Health status of copper refinery workers with specific reference to selenium exposure. 44(5): 291–97.

Hursh J, Clarkson T, Miles E, Goldsmith L. Percutaneous absorption of mercury vapor by man. 44(2): 120–27.

I

Ikeda M, Watanabe T, Koizumi A, Fujita H, Nakatsuka H, Kasahara M. Dietary intake of lead among Japanese farmers. 44(1): 23–29.

Illness and absenteeism among California highway patrol officers responding to hazardous material spills. English P, Shaw G, Windham G, Neutra R. 44(2): 117–19.

Ilowite J, Smaldone G, Perry R, Bennett W, Foster WM. Relationship between tracheobronchial particle clearance rates and sites of initial deposition in man. 44(4): 267–73.

Intracellular Ca^{2+} and cytotoxicity. Lynn WS, Mathews D, Cloyd M, Wallwork JC, Thompson A, Sachs C Jr. 44(5): 323–30.

Is the human nervous system most sensitive to environmental toxins? (editorial). Kilburn KH. 44(6): 342–43.

K

Kilburn KH. Is the human nervous system most sensitive to environmental toxins? (editorial). 44(6): 342–43.

Kilburn KH. Re-examination of longitudinal studies of workers (editorial). 44(3): 132–33.

Kilburn KH, Warsaw RH, Shields MG. Neurobehavioral dysfunction in firemen exposed to polychlorinated biphenyls (PCBs): possible improvements after detoxification. 44(6): 345–50.

Kjaergaard S, Pedersen O, Frydenberg M, Schonheyder H, Andersen P, Bonde G. Respiratory disease and lung function in a tobacco industry. 44(3): 164–70.

Kleinman MT, Davidson DM, Vandagriff RB, Caiozzo VJ, Whittenberger JL. Effects of short-term exposure to carbon monoxide in subjects with coronary artery disease. 44(6): 345–50.

Kondakis X, Makris N, Leotsinidis M, Prinou M, Papapetropoulos T. Possible health effects of high manganese concentration in drinking water. 44(3): 175–79.

Kononen D, Kintner H, Bivol K. Air lead exposure and blood lead levels within a large automobile manufacturing workforce, 1980–1985. 44(4): 244–51.

L

Lack of teratogenic and mutagenic effects of nitrite on mouse fetuses. Shimada T. 44(1): 53–58.

Longitudinal study of workers in an aluminum smelter. Chan-Yeung M, Enarson D, MacLean L, Irving D. 44(3): 134–39.

Lynch C, Woolson R, O'Gorman T, Cantor K. Chlorinated drinking water and bladder cancer: effect of misclassification on risk estimates. 44(4): 252–59.

Lynn WS, Mathews D, Cloyd M, Wallwork JC, Thompson A, Sachs C Jr. Intracellular Ca^{2+} and cytotoxicity. 44(5): 323–30.

M

Marino P, Franzblau A, Lilis R, Landrigan P. Acute lead poisoning in construction workers: the failure of current prospective standards. 44(3): 140–45.

Markowitz J. Self-reported short- and long-term respiratory effects among PVC-exposed firefighters. 44(1): 30–33.

Matsuo N, Suzuki T, Akagi H. Mercury concentration in organs of contemporary Japanese. 44(5): 298–303.

Mercury concentration in organs of contemporary Japanese. Matsuo N, Suzuki T, Akagi H. 44(5): 298–303.

Mortality among forest and soil conservationists. Alavanja M, Blair A, Merkle S, Teske J, Eaton B, Reed B. 44(2): 94–101.

Mortality among United States Coast Guard marine inspectors. Blair A, Haas T, Prosser R, Morrissette M, Blackman K, Grauman D, Van Dusen P, Moran F. 44(3): 150–56.

Muto H, Takizawa Y. Dioxins in cigarette smoke. 44(3): 171–74.

N

Neurobehavioral dysfunction in firemen exposed to polychlorinated biphenyls (PCBs): possible improvement after detoxification. Kilburn KH, Warsaw RH, Shields MG. 44(6): 345–50.

O

Occupational illnesses from cholinesterase-inhibiting pesticides among agricultural applicators in California, 1982–1985. Brown S, Ames R, Mengle D. 44(1): 34–39.

Oral and oronasal breathing during continuous exercise pro-

duce similar responses to ozone inhalation. Adams WC, Schelegle ES, Shaffrath JD. 44(5): 311–17.
Osterloh JD, Selby JV, Bernard BP, Becker CE, Menke DJ, Tepper E, Ordonez JD, Behrens B. Body burdens of lead in hypertensive nephropathy. 44(5): 304–10.
Osterloh J, Wang R, Schneider F, Maddy K. Biological monitoring of dichloropropene: air concentrations, urinary metabolite, and renal enzyme excretion. 44(4): 207–13.

P

Percutaneous absorption of mercury vapor by man. Hursh J, Clarkson T, Miles E, Goldsmith L. 44(2): 120–27.
Phillips DL, Smith AB, Burse VW, Steele GK, Needham LL, Hannon WH. Half-life of polychlorinated biphenyls in occupationally exposed workers. 44(6): 351–54.
Piikivi L, Roukonen A. Renal function and long-term low mercury vapor exposure. 44(3): 146–49.
Polycyclic aromatic hydrocarbon (PAH) residues on skin in relation to air levels among roofers. Wolff M, Herbert R, Marcus M, Rivera M, Landrigan P, Andrews L. 44(3): 157–63.
Possible health effects of high manganese concentration in drinking water. Kondakis X, Makris N, Leotsinidis M, Prinou M, Papapetropoulos T. 44(3): 175–79.
Potential exposure levels and health effects of neighborhood exposure to a municipal incinerator bottom ash landfill. Stern A, Munshi A, Goodman A. 44(1): 40–48.
Prevention of summer-type hypersensitivity pneumonitis: effect of elimination of *Trichosporon cutaneum* from the patients' homes. Yoshida K, Ando M, Sakata T, Araki S. 44(5): 317–22.
Pulmonary function in wood workers exposed to formaldehyde: a prospective study. Alexandersson R, Hedenstierna G. 44(1): 5–11.

Q

Quality of community drinking water and the occurrence of spontaneous abortion. Aschengrau A, Zierler S, Cohen A. 44(5): 283–90.

R

Re-examination of longitudinal studies of workers (editorial). Kilburn KH. 44(3): 132–33.
Relationship between tracheobronchial particle clearance rates and sites of initial deposition in man. Ilowite J, Smaldone G, Perry R, Bennett W, Foster WM. 44(4): 267–73.
Relative sensitivity and specificity of salivary and serum cotinine in identifying tobacco-smoking status of self-reported nonsmokers and smokers of tobacco and/or marijuana. Van Vunakis H, Tashkin D, Rigas B, Simmons M, Gjika H, Clark V. 44(1): 53–58.
Renal function and long-term low mercury vapor exposure. Piikivi L, Roukonen A. 44(3): 146–49.
Respiratory disease and lung function in a tobacco industry. Kjaergaard S, Pedersen O, Frydenberg M, Schonheyder H, Andersen P, Bonde G. 44(3): 164–70.
Respiratory symptoms and lung function in jute processing workers: a primary investigation. Zhou C, Liu Z, Ho C, Lou J. 44(6): 370–74.
Rosenman KD, Rizzo JE, Conomos MG, Halpin GJ. Central nervous system malformations in relation to two polyvinyl chloride production facilities. 44(5): 279–82.

S

Salamanca-Gomez F, Hernandez S, Palma V, Navarrete C, Garcia T, Moreta G, Buentello L. Chromosome abnormalities and sister chromatid exchanges in children with acute intoxication due to inhalation of volatile substances. 44(1): 49–53.
Schonfeld B, Adams W, Schelegle E. Duration of enhanced responsiveness upon re-exposure to ozone. 44(4): 229–36.
Schütz A, Attewell R, Skerfving S. Decreasing blood lead in Swedish children, 1978–1988. 44(6): 391–94.
Self-reported short- and long-term respiratory effects among PVC-exposed firefighters. Markowitz J. 44(1): 30–33.
Sharp D, Osterloh J, Becker C, Smith A, Holman B, Fisher J. Elevated blood pressure in treated hypersensitives with low-level lead accumulation. 44(1): 18–22.
Shimada T. Lack of teratogenic and mutgenic effects of nitrite on mouse fetuses. 44(1): 59–63.
Sluis-Cremer G, Hessel P, Hnizdo E. Factors influencing the reading of small irregular opacities in a radiological survey of asbestos miners in South Africa. 44(4): 237–43.
Soskolne C, Pagano G, Cipollaro M, Beaumont J, Giordano G. Epidemiologic and toxicologic evidence for chronic health effects and the underlying biologic mechanisms involved in sub-lethal exposures to acidic pollutants. 44(3): 180–191.
Sport fish consumption and body burden levels of chlorinated hydrocarbons: a study of Wisconsin anglers. Fiore BJ, Anderson H, Hanrahan L, Olson OL, Sonzogni W. 44(2): 82–88.
Stern A, Munshi A, Goodman A. Potential exposure levels and health effects of neighborhood exposure to a municipal incinerator bottom ash landfill. 44(1): 40–48.

T

Toxic pollutants, science, and corporate influence (editorial). Castleman B, Ziem G. 44(2): 68, 127.

V

Van Vunakis H, Tashkin D, Rigas BA, Simmons M, Gjika H, Clark V. Relative sensitivity and specificity of salivary and serum cotinine in identifying tobacco-smoking status of self-reported nonsmokers and smokers of tobacco and/or marijuana. 44(1): 53–58.

W

Wolff M, Herbert R, Marcus M, Rivera M, Landrigan P, Andrews L. Polycyclic aromatic hydrocarbon (PAH) residues on skin in relation to air levels among roofers. 44(3): 157–63.

Y

Yoshida K, Ando M, Araki S. Acute pulmonary edema in a storehouse of moldy oranges: a severe case of the organic dust toxic syndrome. 44(6): 382–84.
Yoshida K, Ando M, Sakata T, Araki S. Prevention of summer-type hypersensitivity pneumonitis: effect of elimination of *Trichosporon cutaneum* from the patients' homes. 44(5): 317–22.

Z

Zhou C, Liu Z, Ho C, Lou J. Respiratory symptoms and lung function in jute processing workers: a primary investigation. 44(6): 370–74.